

81963

Page 1

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 21/03/2012 **Start Qty:** 100.00

100

Cust Item ID:

Required Date: 04/04/2012 **Req'd Qty:** 100.00

100

Customer:

Reference:

Approvals: Process Plan: MLJ

Date: 12/03/21

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

[illegible]

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81963

81963

Page 2

March-21-12 1:44:14 PM

Item ID: D3492-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Plug
Start Date: 21/03/2012 Start Qty: 100.00 ***100*** Cust Item ID:
Required Date: 04/04/2012 Req'd Qty: 100.00 ***100*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

150 Chemical Conversion Coat per QSI005 4.1 0.00

150

HandFinish

Memo

0.00

Hand Finishing

103 BLD 4-9

160 White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum 0.00

160

Powdercoat

Memo

0.00

Powder Coating

(Flat End Only)

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

1:10
320 °F
7:40

103X M-L
12/04/12

170 QC3- Inspect Part Finish 0.00

170

QC

Memo

0.00

Quality Control

103 BLD-4-12

M120222

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 81963

March-21-12 1:44:14 PM

81963

Page 3

Item ID: D3492-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Plug
 Start Date: 21/03/2012 Start Qty: 100.00 ***100*** Cust Item ID:
 Required Date: 04/04/2012 Req'd Qty: 100.00 ***100*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	Identify as per dwg & Stock Location: <u>F-P A</u>	0.00							
180									
Packaging	Memo	0.00							
Packaging									
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.00							
Quality Control									

103X ✓ M-F
 12/04/12

12/4/12 g

12-04-12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March-21-12 1:44:18 PM

Page 1

Work Order ID: 81963

81963

Parent Item: D3492-1

D3492-1

Parent Item Name: Plug

Start Date: 21/03/2012

Required Date: 04/04/2012

Start Qty: 100.00

Required Qty: 100.00

Comments: IPP Rev:A 11.04.19 per dwg revC DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6R0.625		Purchased	No			100	f	88.2430	0.0625	6.578947			

M6061T6R0 625

6061-T6 Round Bar .625"

**

BC 12/04/05

Location

Loc Qty

Loc Code

MAT012

88.243

117284

0.184

119346

0.559

120349

27.5

120603

60

6.6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	81963
Description: Plug		Part Number:	D3492-1
Inspection Dwg: D3492 Rev: D		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.060	+/-0.005	.060	✓		Dial Caliper	36 05
0.060	+/-0.005	.060	✓			
Ø0.394	+/-0.010	.394	✓			I
Ø0.625	+/-0.010	.625	✓			
0.090	+0.000/-0.002	.090	✓			
0.500	+/-0.010	.500	✓			
0.050	+0.000/-0.002	.049	✓			
0.050 x 20°	+/-0.010	.050	✓			

Measured by: 36	Audited by: [Signature]	Preliminary Approval:
Date: 12/04/05	Date: 12/04/06	Date:

Rev	Date	Change	Revised by	Approved
A	06.06.02	New Issue P/O D3492-041	KJ/JLM	
B	06.10.16	Ø0.625 was Ø0.500	KJ/JLM	
C	07.11.23	Tolerances revised	KJ/EC/DD	
D	08.06.19	0.050 x 20° dimension added	KJ/DD	
E	11.07.26	Dimensions updated per Dwg Rev D	KJ	[Signature]

D3492-XX PLUG
(SEE TABLE)

NAS1611 O-RING
(SEE TABLE)

D3492-XXX PLUG PARTS LIST

QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	QTY -053	PART NUMBER	DESCRIPTION
X							D3492-041	PLUG ASSEMBLY
	X						D3492-043	PLUG ASSEMBLY
		X					D3492-045	PLUG ASSEMBLY
			X				D3492-047	PLUG ASSEMBLY
				X			D3492-049	PLUG ASSEMBLY
					X		D3492-051	PLUG ASSEMBLY
						X	D3492-053	PLUG ASSEMBLY
1							D3492-1	PLUG
	1						D3492-3	PLUG
		1					D3492-5	PLUG
			1				D3492-7	PLUG
				1			D3492-9	PLUG
					1		D3492-11	PLUG
						1	D3492-13	PLUG
		1					NAS1611-005	O-RING
			1				NAS1611-007	O-RING
1							NAS1611-010	O-RING
						1	NAS1611-012	O-RING
	1						NAS1611-013	O-RING
					1		NAS1611-015	O-RING
				1			NAS1611-016	O-RING

NOTES:

1) O-RING: POSSIBLE SUPPLIER P/N: NAS1611-XXX OR PARKER 2-XXX


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 81963 MLC



12/03/21

RELEASED
2011-05-30


D	INCORPORATED DEO D3492-C-1. SHT 2 DIM C FOR -1 WAS 0.055. (SEE CAR11-048)	AJS	11.05.24
C	ADD -049/-051/-053. CHANGE DRAWING FORMAT	PH	07.10.05
B	ADD -047. UPDATE DIM A FOR -045	PH	08.05.11
A	NEW ISSUE	PH	08.01.04
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. D
MFG. APPR.	JEF	D3492	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		PLUG	2:1
DATE	11.05.24	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



POWDER COAT THESE
FACES ONLY PER NOTE 2



D3492-XX PLUG



DETAIL D

D3492-XX PLUG MACHINING DETAILS

P/N	A	B	C	MATERIAL SPEC
D3492-1	0.625	0.394	0.050	M6061T6R0.625
D3492-3	0.750	0.582	0.045	M6061T6R0.750
D3492-5	0.375	0.188	0.045	M6061T6R0.375
D3492-7	0.500	0.270	0.045	M6061T6R0.500
D3492-9	0.938	0.750	0.045	M6061T6R1.000
D3492-11	0.850	0.664	0.045	M6061T6R0.875
D3492-13	0.750	0.510	0.045	M6061T6R0.750

NOTES:

- 1) MATERIAL: ALUMINUM 5052-H32 OR 6061-T6 OR 1100-0 PER QQ-A-225/7 (5052) OR QQ-A-225/8 (6061) OR QQ-A-200/8 (6061) OR QQ-A-225/1 (1100) (REF. DART MATERIAL SPEC M6061T6R0.000)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

RELEASED
2011-05-30

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	A/S	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JES	DRAWING NO.	REV. D
MFG. APPR.		D3492	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		PLUG	4:1
DATE	11.05.24	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	